


# Product Manual - StuccoChoice

---

BA04/AS, Section at Base  
BR89A/AS, Girt Bracing Cross Section  
EA04/AS, Section at Eave  
FV24/AS, Section at Facade Cap  
FV48/AS, Section at Facade Base  
GE03/AS, Section at Partially Open Wall  
MA24/AS, Section at Masonry Wall  
MA25/AS, Section at Masonry Wall  
OT21/AS, Section at Header  
OT22/AS, Section at Sill  
OT26/AS, Section at Jamb  
RA02/AS, Section at Universal Rake  
WC06A/AS, Panel Splice Detail With Stacking Hat Channel  
WC06/AS, Panel Splice Detail Without Stacking Hat Channel  
WC21/AS, Section at Outside Corner  
WC26/AS, Section at Inside Corner  
WD10/AS, Section at Personnel Door Jamb  
WD11/AS, Section at Personnel Door Header

Section at Base  
StuccoChoice Wall Panels  
BA04/AS



INSULATION THICKNESS	PANEL ATTACHMENT	BASE TRIM	WALL MAIN FASTENER	(QTY)
2" OR LESS	TO GIRT	170DC	#12-14X1 1/4 SDHH	(1)
GREATER THAN 2" UP TO 4"	TO 7/8" HAT CHANNEL	168DC	#12-14X3/4 HWHT	(2)
GREATER THAN 4"	TO 1 1/2" HAT CHANNEL	402DC	#12-14X3/4 HWHT	(2)

**SECTION AT BASE**


StuccoChoice WALL PANELS

**BA04**  
**AS**

[Download the DWG file by clicking here.](#)

[To Section Index](#)

Girt Bracing Cross Section  
StuccoChoice Wall Panels  
BR89A/AS




[Download the DWG file by clicking here.](#)

[To Section Index](#)

Section at Eave  
StuccoChoice Wall Panels  
EA04/AS

NOTE:  
PANEL TO HAT CHANNEL ATTACHMENT SHOWN  
PANEL TO GIRT ATTACHMENT SIMILAR  
(SEE CHART)



INSULATION THICKNESS	PANEL ATTACHMENT	WALL MAIN FASTENER (QTY)
2" OR LESS	TO GIRT	#12-14X1 1/4 SDHH (1)
GREATER THAN 2" UP TO 4"	TO 7/8" HAT CHANNEL	#12-14X3/4 HWHT (2)
GREATER THAN 4"	TO 1 1/2" HAT CHANNEL	#12-14X3/4 HWHT (2)

SECTION AT EAVE  
StuccoChoice WALL PANELS


EA04
AS

[Download the DWG file by clicking here.](#)

[To Section Index](#)

Section at Facade Cap  
StuccoChoice Wall Panels  
FV24/AS

NOTE:  
PANEL TO HAT CHANNEL ATTACHMENT SHOWN  
PANEL TO GIRT ATTACHMENT SIMILAR  
(SEE CHART)



INSULATION THICKNESS	PANEL ATTACHMENT	WALL MAIN FASTENER (QTY)
2" OR LESS	TO GIRT	#12-14X1 1/4 SDHH (1)
GREATER THAN 2" UP TO 4"	TO 7/8" HAT CHANNEL	#12-14X3/4 HWHT (2)
GREATER THAN 4"	TO 1 1/2" HAT CHANNEL	#12-14X3/4 HWHT (2)

SECTION AT FACADE CAP  
StuccoChoice WALL PANELS


FV24
AS

[Download the DWG file by clicking here.](#)

[To Section Index](#)

Section at Facade Base  
StuccoChoice Wall Panels  
FV48/AS

NOTE:  
PANEL TO HAT CHANNEL ATTACHMENT SHOWN  
PANEL TO GIRT ATTACHMENT SIMILAR  
(SEE CHART)



INSULATION THICKNESS	PANEL ATTACHMENT	WALL MAIN FASTENER (QTY)
2" OR LESS	TO GIRT	#12-14X1 1/4 SDHH (1)
GREATER THAN 2" UP TO 4"	TO 7/8" HAT CHANNEL	#12-14X3/4 HWHT (2)
GREATER THAN 4"	TO 1 1/2" HAT CHANNEL	#12-14X3/4 HWHT (2)


SECTION AT FACADE BASE  
StuccoChoice WALL PANELS

FV48
AS

[Download the DWG file by clicking here.](#)

[To Section Index](#)

Section at Partially Open Wall  
StuccoChoice Wall Panels  
GE03/AS




SECTION AT PARTIALLY OPEN WALL  
StuccoChoice WALL PANELS

GE03
AS

[Download the DWG file by clicking here.](#)

[To Section Index](#)

Section at Masonry Wall  
StuccoChoice Wall Panels  
MA24/AS



INSULATION THICKNESS	PANEL ATTACHMENT	BASE TRIM AT MASONRY	WALL MAIN FASTENER (QTY)
2" OR LESS	TO GIRT	170DC-2	#12-14X1 1/4 SDHH (1)
GREATER THAN 2" UP TO 4"	TO 7/8" HAT CHANNEL	168DC-2	#12-14X3/4 HWHT (2)
GREATER THAN 4"	TO 1 1/2" HAT CHANNEL	401DC-2	#12-14X3/4 HWHT (2)


SECTION AT MASONRY WALL  
StuccoChoice WALL PANELS

MA24
AS

[Download the DWG file by clicking here.](#)

[To Section Index](#)

Section at Masonry Wall  
StuccoChoice Wall Panels  
MA25/AS



INSULATION THICKNESS	PANEL ATTACHMENT	BASE TRIM AT MASONRY	WALL MAIN FASTENER (QTY)
2" OR LESS	TO GIRT	CR107	#12-14X1 1/4 SDHH (1)
GREATER THAN 2" UP TO 4"	TO 7/8" HAT CHANNEL	CR107	#12-14X3/4 HWHT (2)
GREATER THAN 4"	TO 1 1/2" HAT CHANNEL	-	#12-14X3/4 HWHT (2)


SECTION AT MASONRY WALL  
StuccoChoice WALL PANELS

MA25
AS

[Download the DWG file by clicking here.](#)

[To Section Index](#)

Section at Header  
StuccoChoice Wall Panels  
OT21/AS



INSULATION THICKNESS	PANEL ATTACHMENT	HEADER (CAP) TRIM	WALL MAIN FASTENER (QTY)
2" OR LESS	TO GIRT	180WDC-2	#12-14X1 1/4 SDHH (1)
GREATER THAN 2" UP TO 4"	TO 7/8" HAT CHANNEL	180WDC	#12-14X3/4 HWHT (2)
GREATER THAN 4"	TO 1 1/2" HAT CHANNEL	404WDC	#12-14X3/4 HWHT (2)


SECTION AT HEADER  
StuccoChoice WALL PANELS

OT21
AS

[Download the DWG file by clicking here.](#)

[To Section Index](#)


Section at Sill  
StuccoChoice Wall Panels  
OT22/AS



[Download the DWG file by clicking here.](#)

[To Section Index](#)

Section at Jamb  
StuccoChoice Wall Panels  
OT26/AS



INSULATION THICKNESS	PANEL ATTACHMENT	JAMB/SILL TRIM	WALL MAIN FASTENER
2" OR LESS	TO GIRT	250CH	#12-14X1 1/4 SDHH
GREATER THAN 2" UP TO 4"	TO 7/8" HAT CHANNEL	200CH	#12-14X3/4 HWHT
GREATER THAN 4"	TO 1 1/2" HAT CHANNEL	403CH	#12-14X3/4 HWHT

SECTION AT JAMB  
StuccoChoice WALL PANELS

OT26  
AS


[Download the DWG file by clicking here.](#)

[To Section Index](#)

Section at Universal Rake  
StuccoChoice Wall Panels  
RA02/AS

NOTE:

1. PANEL TO HAT CHANNEL ATTACHMENT SHOWN  
PANEL TO GIRT ATTACHMENT SIMILAR  
(SEE CHART)
2. CUSTOM RAKE IS NOT RECOMMENDED AT StuccoChoice WALL PANEL SYSTEM



INSULATION THICKNESS	PANEL ATTACHMENT	WALL MAIN FASTENER (QTY)
2" OR LESS	TO GIRT	#12-14X1 1/4 SDHH (1)
GREATER THAN 2" UP TO 4"	TO 7/8" HAT CHANNEL	#12-14X3/4 HWHT (2)
GREATER THAN 4"	TO 1 1/2" HAT CHANNEL	#12-14X3/4 HWHT (2)


SECTION AT UNIVERSAL RAKE  
StuccoChoice WALL PANELS

RA02
AS

[Download the DWG file by clicking here.](#)

[To Section Index](#)

Panel Splice Detail With Stacking Hat Channel  
StuccoChoice Wall Panels  
WC06A/AS



INSULATION THICKNESS	PANEL ATTACHMENT	WALL MAIN FASTENER (QTY)
GREATER THAN 2" UP TO 4"	TO 7/8" HAT CHANNEL	#12-14X3/4 HWHT (2)
GREATER THAN 4"	TO 1 1/2" HAT CHANNEL	#12-14X3/4 HWHT (2)


PANEL SPLICE DETAIL WITH STACKING HAT CHANNEL  
StuccoChoice WALL PANELS

WC06A  
AS

[Download the DWG file by clicking here.](#)

[To Section Index](#)

Panel Splice Detail Without Stacking Hat Channel  
StuccoChoice Wall Panels  
WC06/AS




PANEL SPLICE DETAIL WITHOUT STACKING HAT CHANNEL  
StuccoChoice WALL PANELS

WC06
AS

[Download the DWG file by clicking here.](#)

[To Section Index](#)


Section at Outside Corner  
StuccoChoice Wall Panels  
WC21/AS



[Download the DWG file by clicking here.](#)

[To Section Index](#)

Section at Inside Corner  
StuccoChoice Wall Panels  
WC26/AS



INSULATION THICKNESS	PANEL ATTACHMENT	WALL MAIN FASTENER
2" OR LESS	TO GIRT	#12-14X1 1/4 SDHH
GREATER THAN 2" UP TO 4"	TO 7/8" HAT CHANNEL	#12-14X3/4 HWHT
GREATER THAN 4"	TO 1 1/2" HAT CHANNEL	#12-14X3/4 HWHT

SECTION AT INSIDE CORNER  
StuccoChoice WALL PANELS

WC26
AS


[Download the DWG file by clicking here.](#)

[To Section Index](#)

Section at Personnel Door Jamb  
StuccoChoice Wall Panels  
WD10/AS

NOTE:  
PANEL TO HAT CHANNEL  
ATTACHMENT SHOWN  
PANEL TO GIRT  
ATTACHMENT SIMILAR  
(SEE CHART)

STRUCTURAL FASTENER(S)  
#12X1 1/4  
1'-4" O.C.  
AT HAT CHANNEL  
TO GIRT CONNECTION




INSULATION THICKNESS	PANEL ATTACHMENT	JAMB/SILL TRIM	WALL MAIN FASTENER
2" OR LESS	TO GIRT	250CH	#12-14X1 1/4 SDHH
GREATER THAN 2" UP TO 4"	TO 7/8" HAT CHANNEL	200CH	#12-14X3/4 HWHT
GREATER THAN 4"	TO 1 1/2" HAT CHANNEL	403CH	#12-14X3/4 HWHT

SECTION AT PERSONNEL DOOR JAMB  
StuccoChoice WALL PANELS

WD10
AS

[Download the DWG file by clicking here.](#)

Section at Personnel Door Header  
StuccoChoice Wall Panels  
WD11/AS



NOTE:  
PANEL TO HAT CHANNEL ATTACHMENT SHOWN  
PANEL TO GIRT ATTACHMENT SIMILAR  
(SEE CHART)

INSULATION THICKNESS	PANEL ATTACHMENT	HEADER (CAP) TRIM	WALL MAIN FASTENER (QTY)
2" OR LESS	TO GIRT	180WDC-2	#12-14X1 1/4 SDHH (1)
GREATER THAN 2" UP TO 4"	TO 7/8" HAT CHANNEL	180WDC	#12-14X3/4 HWHT (2)
GREATER THAN 4"	TO 1 1/2" HAT CHANNEL	404WDC	#12-14X3/4 HWHT (2)

SECTION AT PERSONNEL DOOR HEADER  
StuccoChoice WALL PANELS

WD11
AS

[Download the DWG file by clicking here.](#)

[To Section Index](#)